

# IEEE TRANSACTIONS ON INSTRUMENTATION AND MEASUREMENT

A PUBLICATION OF THE IEEE INSTRUMENTATION AND MEASUREMENT SOCIETY

MARCH 2010

VOLUME 59

NUMBER 3

IEIMAO

(ISSN 0018-9456)

---

## REGULAR PAPERS

A Hybrid Particle Approach for GNSS Applications With Partial GPS Outages . . . . .	<i>C. Boucher and J.-C. Noyer</i>	498
Optical Angular Encoder Installation Error Measurement and Calibration by Ring Laser Gyroscope . . . . .	<i>S. Qin, Z. Huang, and X. Wang</i>	506
Precision Clock and Time Transfer on a Wireless Telecommunication Link . . . . .	<i>C. N. M. Marins, P. Kaufmann, A. A. Ferreira, Jr., P. H. Lopes, M. C. de Paiva, R. M. Vilela, and A. C. da Silveira</i>	512
A Wideband Frequency-Domain Channel-Sounding System and Delay-Spread Measurements at the License-Free 57- to 64-GHz Band . . . . .	<i>A. G. Siamarou and M. Al-Nuaimi</i>	519
A Discrete Matlab–Simulink Flickermeter Model for Power Quality Studies . . . . .	<i>L. W. White and S. Bhattacharya</i>	527
Novel and Simple High-Frequency Single-Port Vector Network Analyzer . . . . .	<i>M. A. Abou-Khousa, M. A. Baumgartner, S. Kharkovsky, and R. Zoughi</i>	534
Triangular Self-Convolution Window With Desirable Sidelobe Behaviors for Harmonic Analysis of Power System . . . . .	<i>H. Wen, Z. Teng, and S. Guo</i>	543
Improving the Temporal Resolution of Magnetic Induction Tomography for Molten Metal Flow Visualization . . . . .	<i>M. Soleimani</i>	553
A Ferrofluidic Inclinator in the Resonant Configuration . . . . .	<i>B. Andò, A. Ascia, and S. Baglio</i>	558
New Learning Algorithm for High-Quality Velocity Measurement and Control When Using Low-Cost Optical Encoders . . . . .	<i>N. K. Boggarpu and R. C. Kavanagh</i>	565
Reducing Drifts in the Inertial Measurements of Wrist and Elbow Positions . . . . .	<i>H. Zhou and H. Hu</i>	575
A New Neural-Network-Based Fault Diagnosis Approach for Analog Circuits by Using Kurtosis and Entropy as a Preprocessor . . . . .	<i>L. Yuan, Y. He, J. Huang, and Y. Sun</i>	586
Obtaining Time Derivative of Low-Frequency Signals With Improved Signal-to-Noise Ratio . . . . .	<i>J. Kruttiventi, J. Wu, and J. I. Frankel</i>	596
The Refinement of Models With the Aid of the Fuzzy $k$ -Nearest Neighbors Approach . . . . .	<i>S.-B. Roh, T.-C. Ahn, and W. Pedrycz</i>	604
A Comprehensive Mixed-Mode Time-Domain Load- and Source-Pull Measurement System . . . . .	<i>V. Teppati, A. Ferrero, M. Garelli, and S. Bonino</i>	616
Five-Point Amplitude Estimation of Sinusoidal Signals: With Application to LVDT Signal Conditioning . . . . .	<i>S.-T. Wu and J.-L. Hong</i>	623
Precise Frequency Comparison System Using Bidirectional Optical Amplifiers . . . . .	<i>M. Amemiya, M. Imae, Y. Fujii, T. Suzuyama, F.-L. Hong, and M. Takamoto</i>	631
A Ferroelectric-Capacitor-Based Approach to Quasistatic Electric Field Sensing . . . . .	<i>B. Andò, S. Baglio, A. R. Bulsara, and V. Marletta</i>	641

---

(Contents Continued on Page 497)

---

Onboard Estimation and Classification of a Railroad Curvature . . . . .	<i>J. Trehag, P. Händel, and M. Ögren</i>	653
Temperature Measurement Technique for Stabilizing the Light Output of RGB LED Lamps . . . . .	<i>X. Qu, S.-C. Wong, and C. K. Tse</i>	661
A Scatterometer System for Laboratory Study of Polarimetric Electromagnetic Signatures of Icy Hydrometeors . . . . .	<i>Y. Zhang, A. Huston, M. Mallo, Z. Li, and G. Zhang</i>	671
A Direct Measurement Method of Frequency Responses of the Smart Power IC . . . . .	<i>H. Xu, H.-J. Kim, and H. Kim</i>	682
Accurate Doppler Radar Noncontact Vital Sign Detection Using the RELAX Algorithm . . . . .	<i>C. Li, J. Ling, J. Li, and J. Lin</i>	687
Fiber-Optic Sensor Interrogation Based on a Widely Tunable Monolithic Laser Diode . . . . .	<i>M. S. Müller, L. Hoffmann, T. Bodendorfer, F. Hirth, F. Petit, M. P. Plattner, T. C. Buck, and A. W. Koch</i>	696
Receiver I/Q Imbalance: Tone Test, Sensitivity Analysis, and the Universal Software Radio Peripheral . . . . .	<i>P. Händel and P. Zetterberg</i>	704
Line Topology Identification Using Multiobjective Evolutionary Computation . . . . .	<i>C. Sales, R. M. Rodrigues, F. Lindqvist, J. Costa, A. Klautau, K. Ericson, J. R. i Riu, and P. O. Börjesson</i>	715
Improving Biometric Authentication Performance From the User Quality . . . . .	<i>A. Kumar and D. Zhang</i>	730
Further Generalization of the Low-Frequency True-RMS Instrument . . . . .	<i>V. Pjevalica and V. Vujičić</i>	736

---